



Genest is pleased to offer a TRANSFERABLE LIFETIME WARRANTY on the structural integrity of our paving stones and landscape retaining walls for residential use.

For more info about our warranty, turn to page 70 or visit genestconcrete.com



Engineering of a Genest Paving Stone

Strength Meets Beauty

Genest began manufacturing paving stones in the 1980's, using a technology developed in Germany. This manufacturing process is called "Face Mix" and most of all the paver production in Europe now uses this method.

The manufacturing process starts with a "base mix" of high strength concrete combined with a high concentration of stone, mostly granite. This combination creates a paving stone with solid strength and durability. Next, we combine selected fine aggregate and a high concentration of cement and color pigment in the "face mix". This results in a more brilliant color blend, and a solid surface with no visible signs of stone.

During this process, the "base mix" is placed into the mold and compressed. Once the base is compacted, the "face mix" is immediately added and compressed together as a composite whole. The pavers now move onto the next stages of manufacturing. When installed, these paving stones will withstand severe New England weather conditions and continue performing as designed for years to come.

GENEST PAVING STONES & WALLS

Structural Integrity

Durability

Salt Resistance

Limited Lifetime Warranty

Fine Aggregates

High Cement Content

Brilliant Colors

Exceeds Industry Standards

No unsightly stones or holes





Resists damage from freeze-thaw cycles

High concentration of large stone and high-strength concrete

Cover: 9 GRAND KATAHDIN STONE™ in Meadow **Inside Cover:** 13 TIDEWATER STONE® in Granite Blend


Table of Contents

Paving Stones

Katahdin Stone®	7
Grand Katahdin Stone™	9
Katahdin Stone® Circle	11
P Tidewater Stone®	13
$ \stackrel{\wedge}{\mathbb{P}} $ Eastern Bay $Stone^{TM}$	15
Baxter Stone®	17
P Grand Baxter Stone™	19
Baxter Stone® Circle	21
Acadia Stone®	23
Tradeport Stone [™]	25
Camden Bay Stone	27
Harborline Brick®	29
Hollandstone	31
Stormwater Brick®	33



Windham Ridge Flagging [™]	35
Kennebec Flagging	37
Portland Plank Stone	39
Jordan Bay Flagging	41
Lexington Park Tile	43
🕅 XXL Plaza Stone	45
Duragreen®	47



nes



Outdoor Living

Outdoor Fire Pits	49
Borders & Accents	51



Retaining Wall Systems

Highland Stone® Retaining Wall	53
Highland Stone® Freestanding Wall	55
Highland Stone® Column Block	57
Diamond® & Diamond Stone Cut®	59
Diamond Pro® & Diamond Pro Stone Cut®	61
Retaining Wall Accessory Products	63
Aspen Stone® & Garden Wall Stone	65



Laying Styles & Warranty

Paving Stones Laying Styles	6
Large Format Stones Laying Styles	6
Transferable Lifetime Warranty	7

Katahdin

Stone®

Natural Stone Texture

Antiqued Edge

Katahdin Stone® can be used in combination with Grand Katahdin Stone™ or Katahdin Stone™ Circle for additional laying styles. It is available in four different color options, each a unique blend of three different colors. Each color can be used alone or combined to create unique and dynamic color blends.





PRODUCT INFORMATION

Pallet wt 3,225 lbs

Sq ft per pallet 117.81 sq ft

Layers per pallet 11

Sq ft per layer 10.71 sq ft

3-Piece System

All three sizes are together on one pallet.



UNIT DIMENSIONS

Height 2 3/8" (60 mm) Height 2 3/8" (60 mm) 4 3/4" (120 mm) Width Width 4 3/4" (120 mm) Length 4 3/4" (120 mm) Length 7 1/8" (180 mm) Units/Pallet 231 Units/Pallet 154 Units/Layer 21 Units/Layer 14 Units/Sq ft 6.4 Units/Sq ft 4.3 Sq ft/Unit .15 Sq ft/Unit .23

Height 2 3/8" (60 mm)

Width 4 3/4" (120 mm)

Length 9 1/2" (240 mm)

Units/Pallet 154

Units/Layer 14

Units/Sq ft 3.2

Sq ft/Unit .31









Lakeshore Mea

Meadow

Riverbed

Granite Blend


Grand Katahdin

Stone™

Large Scale Design Possibilities

Antiqued Edge

Grand Katahdin Stone™ has the texture of natural stone and an antiqued edge. The larger stones offer additional design possibilities for patios and walkways. It also can be used in combination with Katahdin Stone® for additional laying style options.





PRODUCT INFORMATION

Pallet wt	3,460 lbs
Sq ft per pallet	124 sq ft
Layers per pallet	10
Sq ft per layer	12.4 sq ft

3-Piece System

All three sizes are together on one pallet.

Grand Katahdin Stone™ is not intended for vehicular traffic.



UNIT DIMENSIONS

Height	2 3/8" (60 mm)	Height	2 3/8" (60 mm)
Width	9 1/2" (240 mm)	Width	9 1/2" (240 mm)
Length	4 3/4" (120 mm)	Length	9 1/2" (240 mm)
Units/Pallet	60	Units/Pallet	80
Units/Layer	6	Units/Layer	8
Units/Sq ft	3.2	Units/Sq ft	1.6
Sq ft/Unit	.31	Sq ft/Unit	.62

Height	2 3/8" (60 mm)
Width	9 1/2" (240 mm)
Length	14 1/4" (360 mm)
Units/Pallet	60
Units/Layer	6
Units/Sq ft	1.06
Sq ft/Unit	.94

COLOR OPTIONS

Lakeshore









Meadow

Riverbed

Granite Blend

Katahdin Stone® Circle

Katahdin

Stone® Circle

Accents & Patterns Enhance Design

Antiqued Edge

Designed to work with Katahdin Stone® and Grand Katahdin Stone™. One pallet will produce two 7' circles or one 9' 10" circle (4 layers per 7' circle).

Please allow some spacing between stones for laying styles. Spare stones are included in the pallet.





PRODUCT INFORMATION

Pallet wt 2,080 lbs Sq ft per pallet 82.5 sq ft Layers per pallet 10.31 sq ft Sq ft per layer

5-Piece System

All five sizes are together on one pallet.



UNIT DIMENSIONS

Center Piece Height 2 3/8" (60 mm) Units/Pallet 8 Units/Layer 1

Square

Height 2 3/8" (60 mm) Units/Pallet 104

Units/Layer 13



Large Wedge

Units/Layer 2

Height 2 3/8" (60 mm) Units/Pallet 16

Rectangle

Units/Layer 10

Height 2 3/8" (60 mm) Units/Pallet 80



Small Wedge

Height 2 3/8" (60 mm) Units/Pallet 240

Units/Layer 30

COLOR OPTIONS

Lakeshore







Meadow

Riverbed

Granite Blend

Tidewater

Stone®

Storm Water Management

Antiqued Edge

Tidewater Stone®'s unique design makes it suitable for traditional paver installations and as a permeable paver for storm water management. The sizes of Tidewater Stone® make them a great fit for driveway installations. The weathered edges and wide color range make it a great fit for all outdoor living spaces.





PRODUCT INFORMATION

Pallet wt 3,236 lbs

Sq ft per pallet 86.40 sq ft

Layers per pallet 9

Sq ft per layer 9.6 sq ft

4-Piece System

All four sizes are together on one pallet.



UNIT DIMENSIONS

Height 3 1/8" (80 mm)

Width 5 1/4" (134 mm)

Length 4 3/4" (120 mm)

Units/Pallet 90

Units/Layer 10

Units/Sq ft 5.76

Sq ft/Unit .18

Height 3 1/8" (80 mm)
Width 5 1/4" (134 mm)
Length 10 1/2" (269 mm)

Units/Pallet 81
Units/Layer 9
Units/Sq ft 2.61
Sq ft/Unit .38

 Height
 3 1/8" (80 mm)

 Width
 5 1/4" (134 mm)

 Length
 5 1/4" (134 mm)

 Units/Pallet
 108

 Units/Layer
 12

 Units/Sq ft
 5.22

 Sq ft/Unit
 .19



 Height
 3 1/8" (80 mm)

 Width
 5 1/4" (134 mm)

 Length
 7" (179 mm)

 Units/Pallet
 90

 Units/Layer
 10

 Units/Sq ft
 3.92

 Sq ft/Unit
 .25



Becomes permeable when installed according to ICPI specifications for permeable pavements with open-graded base and sub-base for infiltration and storage.

COLOR OPTIONS









Lakeshore

Meadow

Riverbed

Granite Blend



Eastern Bay

Stone™

Storm Water Management

Natural Stone Texture

Eastern Bay Stone™ is a versatile paving stone. It was designed for conventional paver installations and can also be used as a permeable paver for storm water management.

You can choose from four laying styles. It will also compliment our antiqued edged pavers, when used in your design as a border stone.





PRODUCT INFORMATION

Р	allet wt	3,330 lbs
S	q ft per pallet	128 sq ft
L	ayers per pallet	10
S	q ft per layer	12.8 sq ft



UNIT DIMENSIONS

Height	2 3/8" (60 mm)
Width	4 3/4" (120 mm)
Length	9 1/2" (240 mm)
Units/Pallet	400
Units/Layer	40
Units/Sq ft	3.2
Sq ft/Unit	.31



Becomes permeable when installed according to ICPI specifications for permeable pavements with open-graded base and sub-base for infiltration and storage.

COLOR OPTIONS







Riverbed



Charcoal

Granite Blend

Baxter

Stone®

Signature Curved Edges

Natural Stone Texture

Baxter Stone® is a favorite choice for creating a rustic look. The signature edges of this paver imitate the curved waves of natural stone. Great for gentle curved walkways when laid in a running bond, and patios in either laying style.





PRODUCT INFORMATION

Pallet wt 3,300 lbs Sq ft per pallet 121 sq ft Layers per pallet 11 Sq ft per layer 11 sq ft

4-Piece System

All four sizes are together on one pallet.



UNIT DIMENSIONS

Height 2 3/8" (60mm) Width 5 1/2" (140 mm) Length 4" (104 mm) Units/Pallet 132 Units/Layer 12 Units/Sq ft 6.66 Units/Sq ft 5 Sq ft/Unit .15 Sq ft/Unit

2 3/8" (60mm) Height Width 5 1/2" (140 mm) 11" (279 mm) Length Units/Pallet 99 Units/Layer 9 Units/Sq ft 2.44

.41

Height 2 3/8" (60 mm) Width 5 1/2" (140 mm) Length 5 1/2" (140 mm) Units/Pallet 132 Units/Layer 12

.20

Height 2 3/8" (60 mm) Width 5 1/2" (140 mm) Length 8" (209 mm) Units/Pallet 99 Units/Layer 9 Units/Sq ft 3.22 Sq ft/Unit .31

COLOR OPTIONS

Sq ft/Unit



Cumberland Blend







Earth Blend

Granite Blend

Grand Baxter

Stone™

Storm Water Management

Chiseled, Natural Edge

Grand Baxter Stone™ has the texture of natural stone and a chiseled edge. The larger stones offer additional design possibilities for patios and walkways. It can also be used in combination with Baxter Stone® or Baxter Stone® Circle for additional laying style options.





PRODUCT INFORMATION

2,605 lbs Pallet wt Sq ft per pallet 97.35 sq ft Layers per pallet 11 Sq ft per layer 8.85 sq ft

3-Piece System

All three sizes are together on one pallet.

Grand Baxter Stone™ is not intended for vehicular traffic.




UNIT DIMENSIONS

Height 2 3/8" (60 mm) Height 2 3/8" (60 mm) 11" (280 mm) Width 11" (280 mm) Width 5 1/2" (140 mm) 11" (280 mm) Length Length Units/Pallet 44 Units/Pallet 44 Units/Layer 4 Units/Layer 4 Units/Sq ft 2.38 Units/Sq ft 1.19 Sq ft/Unit .42 Sq ft/Unit .84

Height 2 3/8" (60 mm) 11" (280 mm) Width 16 1/2" (420 mm) Length Units/Pallet 33 Units/Layer 3 Units/Sq ft 1.26 Sq ft/Unit 1.26

COLOR OPTIONS







Granite Blend



Becomes permeable when installed according to ICPI specifications for permeable pavements with open-graded base and sub-base for infiltration and storage.

Baxter

Stone® Circle

Accents & Patterns Enhance Design

Natural Edge

Designed to work with the Baxter Stone®, Grand Baxter Stone™ and Acadia Stone®. One pallet will produce two 7' circles or one 9' 10" circle (4 layers per 7' circle).

Please allow some spacing between stones for laying styles. Spare stones are included in the pallet.





PRODUCT INFORMATION

Pallet wt 2,080 lbs

Sq ft per pallet 82.5 sq ft

Layers per pallet 8


Sq ft per layer 10.31 sq ft

5-Piece System

All five sizes are together on one pallet.



UNIT DIMENSIONS





Small Wedge

Height 2 3/8" (60 mm)
Units/Pallet 240
Units/Layer 30







Cumberland Blend E

Earth Blend

Granite Blend

Acadia

Stone®

Distinctive Design

Rustic Texture

Acadia Stone® is designed to give the feel of a rustic courtyard. It offers many design possibilities with its three distinctive stones and two different square stone options.





PRODUCT INFORMATION

Pallet wt	3,260 lbs
Sq ft per pallet	118 sq ft
Layers per pallet	10
Sq ft per layer	11.8 sq ft
oq it per tayer	11.0 39 11

3-Piece System All three sizes are together on one pallet.



UNIT DIMENSIONS

Height	2 3/8" (60 mm)	Height	2 3/8" (60 mm)
Width	6" (152 mm)	Width	6" (152 mm)
Length	6" (152 mm)	Length	9" (229 mm)
Units/Pallet	100	Units/Pallet	120
Units/Layer	10	Units/Layer	12
Units/Sq ft	4	Units/Sq ft	2.67
Sq ft/Unit	.25	Sq ft/Unit	.375

Height 2 3/8" (60 mm)

Width 6" (152 mm)

Length 12" (305 mm)

Units/Pallet 100

Units/Layer 10

Units/Sq ft 2

Sq ft/Unit .5

9" x 9" Special order. Sold separately.

Pallet wt		3,235 lbs	
Sq ft per	pallet	121 sq ft	
Layers p	er pallet	11	
Sq ft per	layer	11 sq ft	
Height	2 3/8" (60 mm)	Units/Layer	20
Depth	9" (229 mm)	Units/Sq ft	1.82
Length	9" (229 mm)	Sq ft/Unit	.56
Units/Palle	t 220		

12" x 12" Special order. Sold separately

Pallet wt		3,290 lbs	
Sq ft per	pallet	120 sq ft	
Layers pe	r pallet	10	
Sq ft per l	layer	12 sq ft	
Height	2 3/8" (60 mm)	Units/Layer	12
Depth	12" (305 mm)	Units/Sq ft	1
Length	12" (305 mm)	Sq ft/Unit	1
Units/Pallet	120		







Earth Blend



Granite Blend

Tradeport

Stone™

Smooth Texture

Clean Lines

The larger size stones add appeal and distinction to any landscape project. The finish of Tradeport Stone™ offers a clean and striking look.





PRODUCT INFORMATION

Pallet wt 3,145 lbs

Sq ft per pallet 114.4 sq ft

Layers per pallet 11

Sq ft per layer 10.4 sq ft

3-Piece System

All three sizes are together on one pallet.

Tradeport Stone $^{\mathrm{m}}$ in 60 mm is not intended for vehicular traffic.

80 mm by special order only: Tradeport Stone in 80 mm can be used in light vehicular applications such as a residential driveway.



UNIT DIMENSIONS

Height 2 3/8" (60 mm)
Width 7 7/8" (200 mm)
Length 7 7/8" (200 mm)
Units/Pallet 44
Units/Layer 4
Units/Sq ft 2.38
Sq ft/Unit .42

Height 2 3/8" (60 mm)

Width 7 7/8" (200 mm)

Length 11 13/16" (300 mm)

Units/Pallet 88

Units/Layer 8

Units/Sq ft 1.56

Sq ft/Unit .64

Height 2 3/8" (60 mm)
Width 7 7/8" (200 mm)
Length 15 3/4" (400 mm)
Units/Pallet 44
Units/Layer 4
Units/Sq ft 1.18
Sq ft/Unit .85





Earth Blend

Granite Blend

Camden Bay Stone

Camden Bay Stone

Natural Cobblestone Appearance

Old World Charm

Camden Bay Stone is a classic choice for landscape projects. The stone sizes are ideal for walkways and patios. The natural cobblestone appearance will give an old world charm to your outdoor living space.







6" x 6"

Pallet wt.	3,290 lbs
Sq ft per pallet	120 sq ft
Layers per pallet	10
Sq ft per layer	12 sq ft

Height	2 3/8" (60 mm)	Units/Layer	48
Width	6" (152 mm)	Units/Sq ft	4
Length	6" (152 mm)	Sq ft/Unit	.25
Units/Pallet	480		



6"x 9"

Pallet wt.	3,088 lbs
Sq ft per pallet	112.5 sq ft
Layers per pallet	10
Sq ft per layer	11.25 sq ft

	J		
Height	2 3/8" (60 mm)	Units/Layer	30
Width	6" (152 mm)	Units/Sq ft	2.67
Length	9" (229 mm)	Sq ft/Unit	.375

Units/Pallet 300







Granite Blend Earth Blend

Charcoal

Harborline

Brick®

Subtle Wire-Cut Characteristics

Old World Charm

Harborline Brick® has all the subtle characteristics of an old handmade brick. Perfect for walkways and patios, this paver will add a touch of class and charm to any New England home.





PRODUCT INFORMATION

Pallet wt	2,960 lbs
Sq ft per pallet	108 sq ft
Layers per pallet	9
Sq ft per layer	12 sq ft



UNIT DIMENSIONS

Height	2 3/8" (60 mm)
Width	4" (100 mm)
Length	8" (200 mm)
Units/Pallet	486
Units/Layer	54
Units/Sq ft	4.5
Sq ft/Unit	.22

COLOR OPTIONS







Cumberland/Garden Blend



Pallets of both
Cumberland and
Garden Blends
must be purchased
separately and mixed
upon installation.

Hollandstone

Traditional Look of Clay Brick

Durable

Hollandstone paving stones beautifully combine the traditional look of clay brick with the durability of concrete.


Available in a variety of earth tones and color blends. Hollandstone pavers offer multiple design possibilities.





60 mm

Pallet wt	2,960 lbs
Sq ft per pallet	108 sq ft
Layers per pallet	9
Sq ft per layer	12 sq ft



80 mm Special order only—ask for color choices.

Pallet wt	3,220 lbs
Sq ft per pallet	85.36 sq ft
Layers per pallet	8
Sq ft per layer	10.67 sq ft

Height	3 1/8" (80 mm)	Units/Layer	47
Width	4" (100 mm)	Units/Sq ft	4.5
Length	8" (200 mm)	Sq ft/Unit	.22
Units/Pallet	376		













Cumberland Blend







Stormwater

Brick®

Economical & Environmentally Friendly

Controls Water Runoff

The Stormwater Brick® used as part of a permeable pavement system is an excellent way to control water runoff. The aggregate base used in the system helps to filter and reduce pollutants. The ground water is recharged because the water is not running off the pavement. It collects and properly handles storm water, providing a functional and attractive paving solution for residential applications.





PRODUCT INFORMATION

Pallet wt 2,740 lbs

Sq ft per pallet 78.24 sq ft

Layers per pallet 8

Sq ft per layer 9.78 sq ft

4" x 8" and 4" x 4" all on one pallet. Each layer contains 6 half units.



UNIT DIMENSIONS

3 1/8" (80 mm) Height 3 1/8" (80 mm) Height 4" (100 mm) Width 4" (100 mm) Width Length 8" (200 mm) 4" (100 mm) Length Units/Pallet 328 Units/Pallet 48 Units/Layer 41 Units/Layer 6 Units/Sq ft 4.5 Units/Sq ft 9 Sq ft/Unit .22 Sq ft/Unit .11

COLOR OPTIONS





Cumberland Blend Granite Blend



Becomes permeable when installed according to ICPI specifications for permeable pavements with open-graded base and sub-base for infiltration and storage.

Windham Ridge

Flagging™

Simulates Natural Stone

Clean, Modern Look

Windham Ridge Flagging™ has a riven-faced texture which simulates natural stone. Each of the large scale pieces offers designs that are only found in natural stone pavements. Create a patio or walkway with the look of natural stone without the inconsistent thickness. When used in combination with Kennebec Flagging you can create even more interesting and dramatic design styles.





PRODUCT INFORMATION

Pallet wt 3,150 lbs

Sq ft per pallet 114.73 sq ft

Layers per pallet 11

Sq ft per layer 10.43 sq ft

iq it per tayer 10.45 sq it

3-Piece System

All three sizes are together on one pallet.

Do not use a vibratory plate compactor when installing Windham Ridge Flagging™.

Windham Ridge Flagging[™] is not intended for use in driveways or other vehicular applications.



UNIT DIMENSIONS

Height 2 3/8" (60 mm)
Width 7 1/16" (180 mm)
Length 14 3/16" (360 mm)
Units/Pallet 33
Units/Layer 3
Units/Sq ft 1.44
Sq ft/Unit .69

Height 2 3/8" (60 mm)

Width 14 3/16" (360 mm)

Length 14 3/16" (360 mm)

Units/Pallet 33

Units/Layer 3

Units/Sq ft .71

Sq ft/Unit 1.40

Height 2 3/8" (60 mm)

Width 14 3/16" (360 mm)

Length 21 1/4" (540 mm)

Units/Pallet 22

Units/Layer 2

Units/Sq ft .48

Sq ft/Unit 2.09









Granite Blend

Lakeshore

Meadow

Riverbed


Kennebec

Flagging

Simulates Natural Stone

Elegant Style

Kennebec Flagging has the same riven-faced texture as our popular Windham Ridge Flagging™ in an extra large format. The larger stone sizes offer a clean, modern look. Use them to create a grand entrance, striking pool patio or a majestic outdoor living room. When used in combination with Windham Ridge Flagging™, you can create even more interesting and dramatic design styles.



PRODUCT INFORMATION

Pallet wt 2,400 lbs

Sq ft per pallet 84.72 sq ft

Layers per pallet 8

Sq ft per layer 10.59 sq ft

3-Piece System

All three sizes are together on one pallet.

Do not use a vibratory plate compactor when installing Kennebec Flagging.

Kennebec Flagging is not intended for use in driveways or other vehicular applications.



UNIT DIMENSIONS

Height	2 3/8" (60 mm)	Hei	ght	2 3/8
Vidth	14 3/16" (360 mm)	Wid	th	21 1/4
ength	21 1/14" (540 mm)	Len	gth	21 1/4
Inits/Pallet	8	Unit	s/Pallet	8
Jnits/Layer	1	Unit	ts/Layer	1
Jnits/Sq ft	.48	Unit	ts/Sq ft	.32
Sa ft/Unit	2.09	Sa f	t/Unit	3.14

Height 2 3/8" (60 mm) Width 21 1/4" (540 mm) Length 35 7/16" (900 mm) Units/Pallet 8 Units/Layer 1 Units/Sq ft .19 Sq ft/Unit 5.23









Granite Blend

Lakeshore

Meadow

Riverbed

P

Portland Plank

Stone

Storm Water Management

Modern Design

The Portland Plank Stone is a completely new look in a paving stone. The elongated look allows for designs with a clean, modern appearance.





PRODUCT INFORMATION

Pallet wt 3,500 lbs

Sq ft per pallet 79.2 sq ft

Layers per pallet 6

Sq ft per layer 13.2 sq ft

The Portland Plank Stone size can be used in light vehicular applications such as a residential driveway.



UNIT DIMENSIONS

Height 4" (102 mm)
Width 3 5/8" (92 mm)
Length 15 3/4" (397 mm)
Units/Pallet 180
Units/Layer 30
Units/Sq ft 2.25
Sq ft/Unit .44

COLOR OPTIONS





Earth Blend Granite Blend



Becomes permeable when installed according to ICPI specifications for permeable pavements with open-graded base and sub-base for infiltration and storage.

Jordan Bay

Flagging

Riven-Faced Texture

Modern Design

Jordan Bay Flagging is perfect for an entryway, backyard patio, pool deck or outdoor entertainment areas. The larger stones with a riven-faced texture create a stunning appearance.





PRODUCT INFORMATION

Pallet wt 2,845 lbs Sq ft per pallet 106.2 sq ft Layers per pallet 10 Sq ft per layer 10.62 sq ft

Do not use a vibratory plate compactor when installing Jordan Bay Flagging.

Jordan Bay Flagging is not intended for use in driveways or other vehicular applications.



UNIT DIMENSIONS



2 3/8" (60 mm) Height 16" (406 mm) Width Length 16" (406 mm) Units/Pallet 60 Units/Layer 6 Units/Sq ft .56 Sq ft/Unit 1.77





Granite Blend

Meadow

Lexington Park

Tile

Smooth Texture

Clean Lines

Lexington Park Tile is perfect for an entryway, backyard patio, pool deck or outdoor entertainment areas. With their smooth texture and clean lines, these slab stones create a stunning, contemporary appearance.





PRODUCT INFORMATION

Pallet wt 2,617 lbs

Sq ft per pallet 96 sq ft

Layers per pallet 6

Sq ft per layer 16 sq ft

Do not use a vibratory plate compactor when installing Lexington Park Tile.

Lexington Park Tile is not intended for use in driveways or other vehicular applications.



UNIT DIMENSIONS

Height 2 3/8" (60 mm)

Width 24" (610 mm)

Length 24" (610 mm)

Units/Pallet 24

Units/Layer 4

Units/Sq ft .25

Sq ft/Unit 4

COLOR OPTIONS








Granite Blend Meadow

Natural

XXL Plaza

Stone





200 mm x 400 mm

PRODUCT INFORMATION

Pallet wt.	2,960 lbs
Sq ft per pallet	51.6 sq ft
Layers per pallet	5
Sq ft per layer	10.32 sq ft

UNIT DIMENSIONS



Height	4 3/4" (120 mm)	Units/Layer	12
Width	7 7/8" (200 mm)	Units/Sq ft	1.16
Length	15 3/4" (400 mm)	Sq ft/Unit	.86
Units/Pallet	t 60	Unit Wt	49.3 lbs

400 mm x 400 mm

PRODUCT INFORMATION

Pallet wt.	2,980 lbs
Sq ft per pallet	51.6 sq ft
Layers per pallet	5
Sq ft per layer	10.32 sq ft

UNIT DIMENSIONS



Height	4 3/4" (120 mm)	Units/Layer	6
Width	15 3/4" (400 mm)	Units/Sq ft	.58
Length	15 3/4" (400 mm)	Sq ft/Unit	1.72
Units/Palle	t 30	Unit Wt	97.33 lbs

COLOR OPTIONS

Special order only: All colors and architectural blends, textures, and colors are available.

400 mm x 600 mm

PRODUCT INFORMATION

Pallet wt.	3,020 lbs
Sq ft per pallet	51.6 sq ft
Layers per pallet	5
Sq ft per layer	10.32 sq ft

UNIT DIMENSIONS



Width	15 3/4" (400 mm)	Units/Sq ft	.39
Length	23 5/8" (600 mm)	Sq ft/Unit	2.58
Units/Pallet	20	Unit Wt	149 lbs

600 mm x 800 mm

PRODUCT INFORMATION

Pallet wt.	3,040 lbs
Sq ft per pallet	51.7 sq ft
Layers per pallet	5
Sq ft per layer	10.32 sq ft

UNIT DIMENSIONS



	10.7		
Height	4 3/4" (120 mm)	Units/Layer	2
Width	23 5/8" (600 mm)	Units/Sq ft	.19
Length	31 1/2" (800 mm)	Sq ft/Unit	5.17
Units/Pallet	10	Unit Wt	300 lbs



Becomes permeable when installed according to ICPI specifications for permeable pavements with open-graded base and sub-base for infiltration and storage.

Duragreen®

Storm Water Management

Turf Paving System

The open grid design of Duragreen® stones makes them the natural choice for projects where erosion control, soil stabilization and the maintenance of green areas are important. Duragreen® can be used for driveways, boat ramps, lakeside stabilization and service access lanes. Topsoil and grass or aggregate can be placed in the 3" x 3" grid openings.





PRODUCT INFORMATION

Pallet wt 1,710 lbs
Sq ft per pallet 72.8 sq ft

Layers per pallet 7

Sq ft per layer 10.4 sq ft

Install Duragreen® with the grooved face up.
The Duragreen® Stones are not covered by the
Genest Lifetime Warranty.



UNIT DIMENSIONS



Height 3 5/8" (90 mm)

Width 15 3/8" (390 mm)

Length 23 3/4" (600 mm)

Units/Pallet 28
Units/Layer 4
Sq ft/Unit 2.56

F

Becomes permeable when installed according to ICPI specifications for permeable pavements with open-graded base and sub-base for infiltration and storage.



Natural

Outdoor

Fire Pits

Rock Face Cap

Custom Metal Insert

Nothing brings people together like a campfire. The Genest Outdoor Fire Pits are easy to set up and come in square or round styles to add elegance to your outdoor living space.





Square Fire Pit

PRODUCT INFORMATION

Pallet wt

Square Fire Pit comes assembled as a kit on the pallet, including Metal Insert.

1,700 lbs

Must be removed from pallet and installed per local fire codes.

FIRE PIT DIMENSIONS

49" x 49" x 15" Outside dimensions Inside dimensions 24" x 24"

COLOR OPTIONS





Granite Blend Earth Blend

Round Fire Pit

PRODUCT INFORMATION

3,312 lbs Pallet wt

Layers per pallet

Typical Round Fire Pit consists of 48 Genest Fire Pit Blocks and 1 Metal Insert.

UNIT DIMENSIONS

Height	4" (76 mm)	Units/Pallet	144
Depth	8" (229 mm)	Units/Layer	24
Length	12" (152 mm)	Unit wt	22 lbs

FIRE PIT DIMENSIONS

Outside diameter 46" Inside diameter 30"

COLOR OPTIONS







Granite Blend Earth Blend

Riverbed

Accessory Items



HEAVY GAUGE STEEL COOKING GRATE

For Genest Round and Square Fire Pits or Camp Fireplace.

Sold separately.



METAL INSERT

For Genest Round and Square Fire Pits. Comes in kits or can be purchased separately.


Each Outdoor Fire Pit is sold with a heavy gauge metal insert. It is important to read the Genest Outdoor Fire Pit installation instructions before you build or use the fire pit. Please ask your Genest dealer for a copy of the installation instructions.

Borders & Accents

Just as a picture frame can enhance a work of art, framing a patio, walkway or driveway can create a stunning visual effect for a distinct landscape design.

Several types of Genest Paving Stones arranged in various fashions can be incorporated into borders and accents.

- 1 EASTERN BAY STONE™ in Charcoal
- 2 HOLLANDSTONE in Cumberland Blend
- **3** BAXTER STONE® in Granite Blend
- **4** CAMDEN BAY STONE in Charcoal









2,940 lbs

30 sq ft

6 sq ft

Highland

Stone® Retaining Wall

Natural Stone Texture

Varied Contours

Create a natural stone appearance with Highland Stone® Retaining Wall. The 3" and 6" system combines earth tones, rich textures, varied contours and all the advantages of the structurally sound rear lip locating system, making it reliable and easy to install. The 3" and the 6" blocks can be installed separately or combined to create a stunning natural-looking wall.





3"

PRODUCT INFORMATION

Pallet wt	3,370 lbs
Sq ft per pallet	30 sq ft
Layers per pallet	10
Sq ft per layer	3 sq ft
Sets per pallet	40
6" / 12" / 18" Set	

All three sizes are together on one pallet.

Sq ft per layer Sets per pallet 6" / 12" / 18" Set All three sizes are together on one pallet.

UNIT DIMENSIONS



Height 3" (76 mm) Units/Layer 4 Depth 12" (305 mm) Units/Sq ft 8 6" (152 mm) Sq ft/Unit Units/Pallet 40 Unit Wt 14 lbs



Units/Layer 4 Height 3" (76 mm) Depth 12" (305 mm) Units/Sq ft 4 Length 12" (305 mm) Sq ft/Unit .25 Units/Pallet 40 Unit Wt 28 lbs



Height Units/Layer 4 Depth 12" (305 mm) Units/Sq ft 2.70 18" (457 mm) Sq ft/Unit Length Units/Pallet 40 Unit Wt 41 lbs

Pallet wt

Sq ft per pallet

Layers per pallet

6"

Height	6" (152 mm)	Units/Layer	4
Depth	12" (305 mm)	Units/Sq ft	4
Length	6" (152 mm)	Sq ft/Unit	.25
Units/Pallet	20	Unit Wt	30 lbs



Units/Layer 4 Height 6" (152 mm) Depth 12" (305 mm) Units/Sq ft 2 Length 12" (305 mm) Sq ft/Unit .50 Units/Pallet 20 Unit Wt



Height 6" (152 mm) Units/Layer 4 Depth 12" (305 mm) Units/Sq ft 1.33 18" (457 mm) Sq ft/Unit .75 Length Units/Pallet 20 Unit Wt 78 lbs

COLOR OPTIONS



Lakeshore

Granite Blend



Meadow







Riverbed Earth Blend

Highland

Stone® Freestanding Wall

Transforms Space with Natural Beauty

Versatile

From courtyards to patios, the multi-piece Highland Stone® Freestanding Wall system is the perfect choice to create a beautiful and natural looking wall. Use them to accent patio designs to turn your outdoor living space into an inviting garden courtyard. 3" and 6" units can be used alone or in combination to create a one-of-a-kind space.





3" 6"

PRODUCT INFORMATION

2,770 lbs Pallet wt. Sq ft per pallet 27.2 sq ft Layers per pallet Sq ft per layer 3.4 sq ft

6" / 12" / 18" Set

All three sizes are together on one pallet.

Pallet wt.	2,750 lbs
Sq ft per pallet	27.6 sq ft
Layers per pallet	4
Sq ft per layer	6.9 sq ft

6" / 12" / 18" Set

All three sizes are together on one pallet.

UNIT DIMENSIONS



Height 3" (76 mm) Units/Layer 5 Depth 9" (229 mm) Units/Sq ft 10 6" (152 mm) Sq ft/Unit .10 Units/Pallet 40 Unit Wt 10 lbs



3" (76 mm) Units/Layer 5 Depth 9" (229 mm) Units/Sq ft 4.34 Length 12" (305 mm) Sq ft/Unit Units/Pallet 40 Unit Wt 23 lbs



Units/Layer 5 9" (229 mm) Depth Units/Sq ft 2.85 18" (457 mm) Sq ft/Unit Length Units/Pallet 40 Unit Wt 35 lbs



6" (152 mm) Units/Layer 5 9" (229 mm) Depth Units/Sq ft 4.76 Length Sq ft/Unit .21 Units/Pallet 20 Unit Wt 20 lbs



Height 6" (152 mm) Units/Layer 5 Depth 9" (229 mm) Units/Sq ft 2.17 12" (305 mm) Sq ft/Unit Length Units/Pallet 20 Unit Wt 45 lbs



Height 6" (152 mm) Units/Layer 5 Depth 9" (229 mm) Units/Sq ft 1.4 Length 18" (457 mm) Sq ft/Unit .71 Units/Pallet 20 Unit Wt 70 lbs











Lakeshore Granite Blend

Meadow

Riverbed

Earth Blend

Highland

Stone® Column Block

Increased Wall Stability

Polished Elegance

When used with the Highland Stone® Freestanding Wall, a column increases wall stability. Placing fixtures on columns is also a great way to incorporate lighting. Columns can be located in the middle or at the end of a wall.

There are numerous ways to cap a column. You can use the Genest cap units, single piece pre-cast units or natural stone.






Highland Stone® Column 6" Block

PRODUCT INFORMATION

Pallet wt	2,340 lbs
Sq ft per pallet	22.5 sq ft
Layers per pallet	3
Sq ft per layer	7.5 sq ft

UNIT DIMENSIONS



Highland Stone® Column Cap Single Piece


PRODUCT INFORMATION

Pallet wt	1,970 lbs
Layers per pallet	4
Highland Cap Unit requires Use concrete adhesive to gl	•

UNIT DIMENSIONS

THE REAL PROPERTY.	100		
Height	4" (102 mm)	Units/Layer	6
Depth	16" (406 mm)	Unit Wt	76 lbs
Length	16" (406 mm)		
Units/Pallet	24		

COLOR OPTIONS



Earth Blend



Gray

Diamond® & Diamond Stone Cut®

Time-Tested Superior Performance

Natural Beauty

Diamond® and Diamond Stone Cut® retaining walls can give your landscape a new, improved look using the trusted quality of the anchor retaining wall system technology. Diamond® is the leading choice for builders and landscape contractors.





Diamond®

PRODUCT INFORMATION

Pallet wt	3,065/2,840 lbs
Sq ft per pallet	30 sq ft
Layers per pallet	5
Sq ft per layer	6.5 sq ft

UNIT DIMENSIONS



Straight Face

Height	6" (152 mm)	Units/Layer	9
Depth	12" (305 mm)	Units/Sq ft	1.41
Length	17" (431 mm)	Sq ft/Unit	.70
Units/Pallet	45	Unit Wt	72 lbs



Beveled Face

Height	6" (152 mm)	Units/Layer	9
Depth	12" (305 mm)	Units/Sq ft	1.54
Length	15 3/8" (390 mm)	Sq ft/Unit	.65
Units/Pallet	45	Unit Wt	68 lbs

COLOR OPTIONS





Gray Tan

Diamond Stone Cut®

PRODUCT INFORMATION

Pallet wt	2,840 lbs
Sq ft per pallet	30 sq ft
Layers per pallet	5
Sq ft per layer	6 sq ft

UNIT DIMENSIONS



	The same			
Height 6" (152 mm) Units/Layer 9	leight	6" (152 mm)	Units/Layer	9
Depth 12" (305 mm) Units/Sq ft 1.5	Pepth	12" (305 mm)	Units/Sq ft	1.50
Length 16" (406 mm) Sq ft/Unit .66	ength	16" (406 mm)	Sq ft/Unit	.66
Units/Pallet 45 Unit Wt 70	Jnits/Palle	t 45	Unit Wt	70 l





Granite Blend

Earth Blend

Diamond Pro® & Diamond Pro Stone Cut®

Diamond Pro[®] &

Diamond Pro Stone Cut®

Large Scale **Landscape Projects**

Natural Stone Texture

The proven strength of the Diamond Pro® retaining wall system technology along with the choice of the traditional straight face texture or the natural stone appearance of Diamond Pro Stone Cut®, make this product the perfect choice for larger scale landscaping projects.



Diamond® Pro

PRODUCT INFORMATION

165 lbs
sq ft
sq ft

UNIT DIMENSIONS



Straight Face

on aight i acc			
Height	8" (203 mm)	Units/Layer	9
Depth	12" (305 mm)	Units/Sq ft	1
Length	18" (457 mm)	Sq ft/Unit	1
Units/Pallet	45	Unit Wt	75 lbs

Tan

COLOR OPTIONS



Gray



Diamond® Pro Stone Cut

3,465 lbs
45 sq ft
5
9 sq ft
3,250 lbs
40 sq ft
5

UNIT DIMENSIONS

Sq ft per layer



Height	8" (203 mm)	Units/Layer	9
Depth	12" (305 mm)	Units/Sq ft	1
.ength	18" (457 mm)	Sq ft/Unit	1
Jnits/Pallet	45	Unit Wt	72 lbs

8 sq ft



7

Height	8" (203 mm)	Units/Layer	8
Depth	12" (305 mm)	Units/Sq ft	2.56
Length	7" (178 mm)	Sq ft/Unit	.39
Units/Pallet	40	Unit Wt	36 lbs



8" (203 mm)	Units/Layer	8
12" (305 mm)	Units/Sq ft	1.64
11" (280 mm)	Sq ft/Unit	.61
40	Unit Wt	46 lbs
	12" (305 mm) 11" (280 mm)	12" (305 mm) Units/Sq ft 11" (280 mm) Sq ft/Unit





Granite Blend

Earth Blend

Retaining Wall Systems

Retaining Wall Accessory Products

Retaining Wall Accessory


Products

Completes Your Landscape Design

Finishing Touches

Complete your retaining walls with the finishing touches of caps, steps, corners and Torpedo® base block. Crafted with the same rich-textured appearance as our retaining wall and freestanding wall products.





Cap Block

PRODUCT INFORMATION

Pallet wt	3,850 lbs
Sq ft per pallet	27 sq ft
Layers per pallet	10
Sq ft per layer	2.7 sq ft
Linear coverage per unit	1.35 linear ft



UNIT DIMENSIONS

Height	3" (76 mm)	Units/Layer	8
Depth	12" (305 mm)	Units/Sq ft	2.9
Length	17"-15 1/2"	Sq ft/Unit	.34
	(432-394 mm)	Unit Wt	44 lbs
Units/Pallet	80		

Corner Block 6"

PRODUCT INFORMATION

Pallet wt	2,265 lbs	CARLOW
Sq ft per pallet	22.5 sq ft	
Layers per pallet	3	
Sq ft per layer	7.5 sq ft	



UNIT DIMENSIONS

Height	6" (152 mm)	Units/Layer	10
Depth	9" (229 mm)	Units/Sq ft	1.33
Length	18" (457 mm)	Sq ft/Unit	.75
Units/Palle	t 30	Unit Wt	78 lbs

Step Block

PRODUCT INFORMATION

Pallet wt	4,300 lb
Sq ft per pallet	33 sq ft
Layers per pallet	5
Sa ft per laver	6.6 sa ft



UNIT DIMENSIONS

Height	6" (152 mm)	Units/Layer	10
Depth	12" (305 mm)	Units/Sq ft	1.51
Length	16" (406 mm)	Sq ft/Unit	.66
Units/Pall	et 50	Unit Wt	86 lbs

Pro Corner Block 8"

PRODUCT INFORMATION

Pallet wt	2,340 lbs
Sq ft per pallet	30 sq ft
Layers per pallet	3
Sq ft per layer	10 sq ft



UNIT DIMENSIONS

Height	8" (203 mm)	Units/Layer	10
Depth	9" (229 mm)	Units/Sq ft	1
Length	18" (457 mm)	Sq ft/Unit	1
Units/Palle	t 30	Unit Wt	101 lbs

ONLY AVAILABLE IN: Granite Blend, Earth Blend and Tan

Color Options



Torpedo® Base Block

PRODUCT INFORMATION

Pallet wt	3,190 lbs
Linear ft per pallet	83 lin ft
Layers per pallet	8
Linear coverage	1.31 lin ft



Color: Natural

UNIT DIMENSIONS

	Height	4" (102 mm)	Units/Layer	8
	Depth	15 3/4" (400 mm)	Units/Lin ft	1.31
	Length	11" (280 mm)	Unit Wt	49 lbs
	Units/Pallet	64		

Aspen Stone® & Garden Wall Stone

Aspen Stone® & Garden Wall Stone

Decorative Landscape Projects

Elegant Detail

Aspen Stone® and
Garden Wall Stone are
the natural-looking,
lightweight choice for
decorative projects.
They are perfect for DIY
projects, building retaining
walls, garden planters,
and tree rings up to two
feet tall.



Aspen Stone®


PRODUCT INFORMATION

Pallet wt	3,218 lbs
Sq ft per pallet	46 sq ft
Layers per pallet	6
Sq ft per layer	7.7 sq ft
Cap Pallet wt	2,637 lbs
Sq ft per pallet	29 sq ft
Layers per pallet	6
Sq ft per layer	4.8 sq ft
Linear coverage per unit	

UNIT DIMENSIONS

ANTI DIMENOIONO				
No. of London				
Height	4" (102 mm)	Units/Layer	24	
Depth	7" (178 mm)	Units/Sq ft	3.12	
Length	11 1/2" (292 mm)	Sq ft/Unit	.32	
Units/Pallet	144	Unit Wt	22 lbs	
T. A. C.				
Cap				
Height	2 1/2" (63.5 mm)	Units/Layer	24	
Depth	8" (203 mm)	Units/Sq ft	5	
Length	12"-9 1/4"	Sq ft/Unit	.20	
	(305-235 mm)	Unit Wt	19 lbs	
Units/Pallet	144			

COLOR OPTIONS




Garden Wall Stone

PRODUCT INFORMATION

Pallet wt	3,218 lbs		
Sq ft per pallet	46 sq ft		
Layers per pallet	6		
Sq ft per layer	7.7 sq ft		
Сар			
Pallet wt	2,637 lbs		
Pallet wt Sq ft per pallet	2,637 lbs 29 sq ft		
	•		
Sq ft per pallet	29 sq ft		

UNIT DIMENSIONS




COLOR OPTIONS

Units/Pallet 144




Paving Stones Laying Styles


7 KATAHDIN STONE®




9 GRAND KATAHDIN STONE™




13 TIDEWATER STONE®




15 EASTERN BAY STONE™



17 BAXTER STONE®




19 GRAND BAXTER STONE™



23 ACADIA STONE®



25 TRADEPORT STONE™




NOTE: Some laying styles may not reflect the number of stone sizes within a pallet. In some cases, you may have extra or fewer stones in your design. Examples are not repeating patterns.

11 KATAHDIN STONE® CIRCLE

21 BAXTER STONE® CIRCLE

> 7 Ft Circle Layout



STARTING FROM THE CENTER:

7' CIRCLE

Center: 1 center piece

Ring 1: 8 large wedges
Ring 2: 16 small wedges
Ring 3: 24 small wedges

Ring 4: 15 small wedges & 15 rectangles


Ring 5: 18 small wedges, 9 rectangles & 9 squares Ring 6: 21 small wedges, 11 rectangles & 12 squares

Ring 7: 24 small wedges, 24 squares & 1 rectangle


9' 10" CIRCLE

Ring 8: 29 small wedges, 15 squares & 14 rectangles Ring 9: 32 small wedges, 17 squares & 16 rectangles Ring 10: 35 small wedges, 25 squares & 11 rectangles


27 CAMDEN BAY STONE




29 HARBORLINE BRICK®



31 HOLLANDSTONE




33 STORMWATER BRICK®




Large Format Stones Laying Styles

35 WINDHAM RIDGE FLAGGING™




37 KENNEBEC FLAGGING




39 PORTLAND PLANK STONE

Random Ashlar	Stacked Bond	Running Bond


41 JORDAN BAY FLAGGING



43 LEXINGTON PARK TILE



45 XXL PLAZA STONE



47 DURAGREEN®



NOTE: Some laying styles may not reflect the number of stone sizes within a pallet. In some cases, you may have extra or fewer stones in your design. Examples are not repeating patterns.



Top: 35 WINDHAM RIDGE FLAGGING™ in Granite Blend

Bottom: 45 XXL PLAZA STONE in Meadow





Genest Paving Stone & Walls

Transferable Lifetime Warranty

Genest is pleased to offer a transferable lifetime warranty on the structural integrity of our paving stones and landscape retaining walls for residential use.

This warranty protects against structural failure of our paving stones and retaining walls under normal conditions, including exposure to de-icing salts. We certify that our paving stones conform to the most current specification standards by the Interlocking Concrete Pavement Institute (ICPI) and ASTM Standard Specifications for Concrete Unit Pavers. We certify that our landscape retaining walls conform to the most current specification standards by the National Concrete Masonry Association (NCMA) and the ASTM Standard Specifications for Segmental Retaining Walls.

If our pavers or retaining walls prove to be structurally defective, we will replace the product. Replacement labor is not included and no guarantee of color matching can be made.

This warranty goes into effect on the date of purchase, and is transferable with property ownership. Proof of purchase required and certain limitations and exclusions apply.

Review and download the complete warranty with its limitations and exclusions. Please visit www.genestconcrete.com or call our sales department at 1-800-649-4773 or ask a sales representative to see a copy.

Genest manufactures retaining walls under license from Anchor Wall Systems, Inc.



Structural Integrity

Durable

Salt Resistance

Limited Lifetime Warranty



9 GRAND KATAHDIN STONE™, 7 KATAHDIN STONE® &

55 3" HIGHLAND STONE® FREESTANDING WALL in Lakeshore







Manufactured at: 36 Wilson St. Sanford, ME 04073

genestconcrete.com